

# RTK-GPS STATION


ALL-IN-ONE EDGE-LÖSUNG  
DOCUMENT VERSION 1.0.2



RTK-GPS STATION INCL. ANTENNA


SKU: RB\_RTKS1

# RTK-GPS STATION



The RTK-GPS Station by REBOTNIX is a professional satellite-based positioning system designed for applications that demand extremely precise real-time location data. By combining a fixed base station with a mobile receiver, it achieves centimeter-level accuracy – reliably compensating for typical GPS errors caused by atmospheric disturbances. Supporting GPS, GLONASS, Galileo, BeiDou, and QZSS with update rates up to 30 Hz, the station is built for demanding outdoor use across a wide temperature range.

With a Gigabit Ethernet port for network connectivity and a robust N-Female antenna socket, it integrates seamlessly into existing infrastructure. Ideal for smart city solutions, agriculture, construction, surveying, and any application where precise automated positioning is critical.



REBOTNIX<sup>®</sup>  
INDUSTRIAL A.I. SOLUTIONS

# RTK-GPS STATION

ALL IN ONE EDGE SOLUTION  
DOCUMENT VERSION 1.0.2

## SPEZIFICATIONS

### ELEKTRICAL SPECIFICATIONS

DC voltage input	AC 230V
Power consumption	Max.20W

### ENVIRONMENTAL SPECIFICATIONS:


Temperature range	-20°C bis 85°C
Humidity	Non-condensing

### INTERFACES & CONNECTORS

RJ45	1 x RJ45 up to 1000mbps
N-Female Socket	Antenne Socket
Power supply Connection	3 × 1.5 mm <sup>2</sup> cable

### POSITIONING – RTK GNSS

GNSS	GPS, GLONASS, Galileo, BeiDou, QZSS
Navigation Update Rate	Up to 30 Hz



# RTK-GPS STATION


ALL IN ONE EDGE SOLUTION  
DOCUMENT VERSION 1.0.2

# SPAZIFICAZIONI


## TECHNICAL SPECIFICATIONS


Station Dimensions	269 x 239 x 81mm
Antenna Dimensions	166 x 87mm
Station Weight	2800g
Antenna Weight	600g

STATION



ANTENNA






REBOTNIX<sup>®</sup>  
INDUSTRIAL A.I. SOLUTIONS

# RTK-GPS STATION

ALL IN ONE EDGE SOLUTION  
DOCUMENT VERSION 1.0.2

## CONNECTIVITY



AC 230V

- Power supply for the RTK GPS station

POWER-LED


- Power LED indicates the operating status of the device.

ANTENNA CONNECTOR

- Antennenanschluss mit N-Female Buchse

RJ45

- Modular interface for intranet connectivity



REBOTNIX<sup>®</sup>  
INDUSTRIAL A.I. SOLUTIONS

# RTK-GPS STATION

ALL IN ONE EDGE SOLUTION  
DOCUMENT VERSION 1.0.2

## LIVETIME

### JANUARY 2030

During the product lifecycle, changes to hardware components may occur, which may be accompanied by corresponding software changes (e.g., updates to memory components). REBOTNIX reserves the right to make changes to availability at any time resulting from supply chains of suppliers from the chip industry, e.g., NVIDIA Corp.